

Product data sheet

Specifications



Enclosure cover, NQ and NF panelboards, NEMA 1, surface, 20in W x 56in H

NC56S

Product availability : Stock - Normally stocked in distribution facility

Price* : 786.00 USD

Main

Product	Surface cover
Color	Gray
Cover type	Surface cover

Complementary

Material	Steel
Height	56 in (1422.40 mm)
Width	20 in (508.00 mm)
Tightening torque	Cover 10...12 lb.in

Environment

Enclosure Rating	NEMA 1
Product Certifications	cULus

Ordering and shipping details

Category	08352-NF / NQ TRIMS RTA
Discount Schedule	PE1A
GTIN	785901084679
Returnability	Yes
Country of origin	US

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.81 in (4.6 cm)
Package 1 Width	22.28 in (56.6 cm)
Package 1 Length	57.80 in (146.8 cm)
Package 1 Weight	31.00 lb(US) (14.061 kg)
Unit Type of Package 2	PAL

* Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Number of Units in Package 2	16
Package 2 Height	40.00 in (101.6 cm)
Package 2 Width	42.00 in (106.68 cm)
Package 2 Length	60.00 in (152.4 cm)
Package 2 Weight	496.00 lb(US) (224.982 kg)

Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACH Regulation	REACH Declaration
REACH free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	Yes
China RoHS Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile

Contractual warranty


Warranty	18 months
----------	-----------

Product data sheet

NC56S

Technical Illustration

Dimensions



CATALOG NUMBER	A		B		C	
	IN	MM	IN	MM	IN	MM
NC26S	26.12	663	17.70	436	6.16	156
NC32S	32.12	816	23.70	602	9.16	233
NC38S	38.12	968	29.70	754	12.16	309
NC44S	44.12	1121	35.70	907	15.16	385
NC50S	50.12	1273	41.70	1059	18.16	461
NC56S	56.12	1425	47.70	1212	21.16	537
NC62S	62.12	1578	53.70	1364	24.16	614
NC68S	68.12	1730	59.70	1516	27.16	690
NC74S	74.12	1883	65.70	1669	30.16	766
NC80S	80.12	2035	71.70	1821	33.16	842
NC26F	27.52	699	17.70	436	6.16	156
NC32F	33.52	851	23.70	602	9.16	233
NC38F	39.52	1004	29.70	754	12.16	309
NC44F	45.52	1156	35.70	907	15.16	385
NC50F	51.52	1309	41.70	1059	18.16	461
NC56F	57.52	1461	47.70	1212	21.16	537
NC62F	63.52	1613	53.70	1364	24.16	614
NC68F	69.52	1766	59.70	1516	27.16	690
NC74F	75.52	1918	65.70	1669	30.16	766
NC80F	81.52	2071	71.70	1821	33.16	842
NC86S	86.12	2187	77.70	1974	36.16	918
NC86F	87.52	2071	77.70	1974	36.16	918
NC35S	35.12	892	26.70	678	10.66	271
NC35F	36.52	928	26.70	678	10.66	271
NC41S	41.12	1044	32.70	831	13.66	347
NC41F	42.52	1080	32.70	831	13.66	347
NC92S	92.12	2340	83.70	2126	39.16	995

in.
[mm]

ALL DIMENSIONS ARE APPROXIMATE.
ALSO REFER TO CAD, TECHNICAL DRAWINGS, AND DOCUMENTATION.

Recommended replacement(s)