Load center accessory, QO/ Homeline, ground bar kit, 7 terminals

PK7GTA

Product availability: Stock - Normally stocked in distribution

Price*: 11.70 USD

Main

Product line QO
Product type Bar

Complementary **Number of connectors** Wire size AWG 14...AWG 4 copper AWG 12...AWG 4 aluminium **Provided equipment** 2 screw Bar length 2.87 in (73 mm) Maximum length of segment 1.26 in (32 mm) **Device mounting** Direct mounting back of enclosure Height 0.437 in (11.10 mm) Depth 0.312 in (7.92 mm) **Tightening torque** 30 lb.in Mounting screw 30 lb.in 20 lb.in, AWG 14...AWG 10, copper 20 lb.in, AWG 12...AWG 10, aluminium 35 lb.in, AWG 6...AWG 4 25 lb.in, AWG 8 25 lb.in, AWG 14...AWG 12, copper 25 lb.in, AWG 12...AWG 10, aluminium

Ordering and shipping details

Category	00102-QO LC ACCESSORIES
Discount Schedule	DE3A
GTIN	785901026372
Returnability	Yes
Country of origin	US

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.40 in (1.016 cm)

^{*} Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Width	1.20 in (3.048 cm)
Package 1 Length	5.00 in (12.7 cm)
Package 1 Weight	1.60 oz (45.359 g)
Unit Type of Package 2	PAL
Number of Units in Package 2	2160
Package 2 Height	26.50 in (67.31 cm)
Package 2 Width	40.00 in (101.6 cm)
Package 2 Length	48.00 in (121.92 cm)
Package 2 Weight	260.00 lb(US) (117.934 kg)

Offer Sustainability


Sustainable offer status	Green Premium product
California proposition 65	WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov
REACh Regulation	REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	Yes
China RoHS Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile

Contractual warranty

Warranty 18 months

Technical Illustration

Dimensions



Recommended replacement(s)