

Ficha técnica del producto

Especificaciones



INTERRUPTOR TERMOMAGNETICO QO 3P. 70 A. ENCHUFABLE 10kA 240V

QO370

Principal

Product	Interruptor automático en miniatura
Range	QOD
Current Rating	70 A
Voltage Rating	120 V CA 240 V CA 120 V CA
Mounting Type	Conexión
Number of Poles	3P
Circuit Breaker Type	Standard ((*))
Ratings	HACR rated ((*))
Electrical Connection	Box lugs ((*))

Opcionales

Interrupt Rating	10 kA 120 V CA 50/60 Hz 10 kA 240 V CA 50/60 Hz 10 kA 120 V CA 50/60 Hz
Number of Panel Spaces	3
Wire Size	AWG 8...AWG 2 cobre o aluminio
Tightening Torque	5 N.m 10...25 mm² AWG 8...AWG 2
Height	79 mm
Width	57 mm
Depth	74 mm
Peso del producto	0.476 kg

Ambiente

Certifications	Registrado por UL CSA
Ambient Rating	40 °C

Unidades emabalaje

Unit Type of Package 1	PCE
Number of Units in Package 1	1

Package 1 Height	5.842 cm
Package 1 Width	8.636 cm
Package 1 Length	9.652 cm
Package 1 Weight	476.0 g
Unit Type of Package 2	PAL
Number of Units in Package 2	1728
Package 2 Height	101.6 cm
Package 2 Width	91.44 cm
Package 2 Length	121.92 cm
Package 2 Weight	830.835 kg
Unit Type of Package 3	CAR
Number of Units in Package 3	36
Package 3 Height	9.652 cm
Package 3 Width	35.306 cm
Package 3 Length	53.34 cm
Package 3 Weight	17.849 kg

Oferta sostenibilidad

Estado de oferta sostenible	Producto Green Premium
Reglamento REACh	Declaración de REACh
Directiva RoHS UE	Conforme Declaración RoHS UE
Sin mercurio	Sí
Información sobre exenciones de RoHS	Sí
Normativa de RoHS China	Declaración RoHS China Producto fuera del ámbito de RoHS China. Declaración informativa de sustancias
Presencia de halógenos	Producto libre de halógenos

Garantía contractual


Periodo de garantía	18 months
---------------------	-----------

Ficha técnica del
producto

QO370

Ilustración técnica

Dimensiones



Dimensions are approximate. Refer to technical documentation, dimension drawings, and/or CAD for additional detail.

Reemplazo(s) recomendado(s)