


Product datasheet

Specifications



body for illuminated control button - Ø 22 - clear BA 9s base 1NO+1NC

ZB2BW065

Discontinued on: 23 July 2012

Discontinued

Main

Component name	ZB2
Body type	Body for illuminated control button

Complementary

Mounting diameter	22 mm
Light source	Bulb not included
Light block colour	Clear
Light block supply	Direct
[Us] rated supply voltage	<= 400 V
Contacts type and composition	1 NO + 1 NC
Connections - terminals	Screw clamps terminals
Bezel material	Chromium plated metal
CAD overall width	30 mm
CAD overall height	40 mm
CAD overall depth	61 mm
Terminals description ISO n°1	(13-14)NO (X1-X2)PL (11-12)NC
[Ie] rated operational current AC	3 A 240 V AC-15
Auxiliary contacts operation	Standard
Bulb base	BA 9s
Bulb type	Incandescent
[Ie] rated operational current DC	DC-13: 0.27 A at 250 V
Electrical connection	Captive screw clamp terminal
NC auxiliary contacts	1
NO auxiliary contacts	1
Supply circuit type	AC/DC

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Packing Units









Package 1 Weight	0.077 kg
Package 1 Height	0.330 dm
Package 1 width	0.420 dm
Package 1 Length	0.820 dm

Contractual warranty

Warranty	18 months
----------	-----------

Recommended replacement(s)

ZB2BW065 may be replaced by any of the following products:

1x		Harmony XB4, Light block with body/fixing collar, metal, red, integral LED, 110...120 V AC, 1 NO + 1 NC ZB4BW0G45
1x		Harmony XB4, Light block with body/fixing collar, metal, green, integral LED, 110...120 V AC, 1 NO + 1 NC ZB4BW0G35
1x		Harmony XB4, Light block with body/fixing collar, metal, orange, integral LED, 110...120 V AC, 1 NO + 1 NC ZB4BW0G55
1x		Complete body/contact assembly and light block, Harmony XB4, metal, white, universal LED, body/fixing collar, 1NO + 1NC, 110...120V AC ZB4BW0G15
1x		Complete body/contact assembly and light block, Harmony XB4, blue, with body/fixing collar, integral LED, 110...120V, 1NO + 1NC ZB4BW0G65
1x		Harmony XB4, Light block with body/fixing collar, metal, red, integral LED, 230...240 V AC, 1 NO + 1 NC ZB4BW0M45
1x		Harmony XB4, Light block with body/fixing collar, metal, green, integral LED, 230...240 V AC, 1 NO + 1 NC ZB4BW0M35
1x		Harmony XB4, Light block with body/fixing collar, metal, orange, integral LED, 230...240 V AC, 1 NO + 1 NC ZB4BW0M55

1x



Complete body/contact assembly and light block, Harmony XB4, metal, white, universal LED, body/fixing collar, 1NO + 1NC, 230...240V AC
ZB4BW0M15

1x



Complete body/contact assembly and light block, Harmony XB4, blue, with body/fixing collar, integral LED, 230...240V, 1NO + 1NC
ZB4BW0M65

1x



Harmony XB4, Light block with body/fixing collar, metal, red, integral LED, 24 V AC/DC, 1 NO + 1 NC
ZB4BW0B45

1x



Harmony XB4, Light block with body/fixing collar, metal, green, integral LED, 24 V AC/DC, 1 NO + 1 NC
ZB4BW0B35

1x



Harmony XB4, Light block with body/fixing collar, metal, for BA9s bulb, <= 250 V, 1 NO + 1 NC
ZB4BW065

1x



Harmony XB4, Light block with body/fixing collar, metal, orange, integral LED, 24 V AC/DC, 1 NO + 1 NC
ZB4BW0B55

1x



Complete body/contact assembly and light block, Harmony XB4, metal, white, universal LED, body/fixing collar, 1NO + 1NC, 24V AC/DC
ZB4BW0B15

1x



Harmony XB4, Light block with body/fixing collar, metal, blue, integral LED, 24 V AC/DC, 1 NO + 1 NC
ZB4BW0B65